




H-Section


H-Beam (For structural poles, beams and trusses, large) with H-shaped cross-section (H) is a steel structure. Type of compression. Used in the construction of the pillars and beams.



Nominal Size (mm.)	Standard sectional dimension (mm.)					Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂	r		
100 x 100	100	100	6.00	8.00	10.00	6	103.20
	100	100	6.00	8.00	10.00	9	154.80
	100	100	6.00	8.00	10.00	12	206.40
125 x 125	125	125	6.50	9.00	10.00	6	142.80
	125	125	6.50	9.00	10.00	9	214.20
	125	125	6.50	9.00	10.00	12	285.60
150 x 150	150	150	7.00	10.00	11.00	6	189.00
	150	150	7.00	10.00	11.00	9	283.50
	150	150	7.00	10.00	11.00	12	378.00
175 x 175	175	175	7.50	11.00	12.00	6	241.20
	175	175	7.50	11.00	12.00	9	361.80
	175	175	7.50	11.00	12.00	12	482.40
200 x 200	200	200	8.00	12.00	13.00	6	299.40
	200	200	8.00	12.00	13.00	9	449.10
	200	200	8.00	12.00	13.00	12	598.80
244 x 175	244	175	7.00	11.00	16.00	6	264.60
	244	175	7.00	11.00	16.00	9	396.90
	244	175	7.00	11.00	16.00	12	529.20
250 x 250	250	250	9.00	14.00	16.00	6	434.40
	250	250	9.00	14.00	16.00	9	651.60
	250	250	9.00	14.00	16.00	12	868.80
300 x 300	300	300	10.00	15.00	18.00	6	564.00
	300	300	10.00	15.00	18.00	9	846.00
	300	300	10.00	15.00	18.00	12	1128.00
350 x 350	350	350	12.00	19.00	20.00	6	822.00
	350	350	12.00	19.00	20.00	9	1233.00
	350	350	12.00	19.00	20.00	12	1644.00
400 x 400	400	400	13.00	21.00	22.00	6	1032.00
	400	400	13.00	21.00	22.00	9	1548.00
	400	400	13.00	21.00	22.00	12	2064.00

Wide-Flange

Used for general structured and welding work. Has a shape and property similar to I-beam but thinner. Usually used in general structured and welding work.




Nominal Size (mm.)	Standard sectional dimension (mm.)					Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂	r		
100 x 100	100	50	5.00	7.00	8.00	6	55.80
	100	50	5.00	7.00	8.00	9	83.70
	100	50	5.00	7.00	8.00	12	111.60
148 x 100	148	100	6.00	9.00	11.00	6	126.60
	148	100	6.00	9.00	11.00	9	189.90
	148	100	6.00	9.00	11.00	12	253.20
150 x 75	150	75	5.00	7.00	8.00	6	84.00
	150	75	5.00	7.00	8.00	9	126.00
	150	75	5.00	7.00	8.00	12	168.00
194 x 150	194	150	6.00	9.00	13.00	6	183.60
	194	150	6.00	9.00	13.00	9	275.40
	194	150	6.00	9.00	13.00	12	367.20
200 x 100	200	100	5.50	8.00	11.00	6	127.80
	200	100	5.50	8.00	11.00	9	191.70
	200	100	5.50	8.00	11.00	12	255.60
250 x 125	250	125	6.00	9.00	12.00	6	177.60
	250	125	6.00	9.00	12.00	9	266.40
	250	125	6.00	9.00	12.00	12	355.20
294 x 200	294	200	8.00	12.00	18.00	6	340.80
	294	200	8.00	12.00	18.00	9	511.20
	294	200	8.00	12.00	18.00	12	681.60
300 x 150	300	150	6.50	9.00	13.00	6	220.20
	300	150	6.50	9.00	13.00	9	330.30
	300	150	6.50	9.00	13.00	12	440.40
340 x 250	340	250	9.00	14.00	20.00	6	478.20
	340	250	9.00	14.00	20.00	9	717.30
	340	250	9.00	14.00	20.00	12	956.40
350 x 175	350	175	7.00	11.00	14.00	6	297.60
	350	175	7.00	11.00	14.00	9	446.40
	350	175	7.00	11.00	14.00	12	595.20

Nominal Size (mm.)	Standard sectional dimension (mm.)					Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂	r		
390 x 300	390	300	10.00	16.00	22.00	6	642.00
	390	300	10.00	16.00	22.00	9	963.00
	390	300	10.00	16.00	22.00	12	1284.00
400 x 200	400	200	8.00	13.00	16.00	6	396.00
	400	200	8.00	13.00	16.00	9	594.00
	400	200	8.00	13.00	16.00	12	792.00
440 x 300	440	300	11.00	18.00	24.00	6	744.00
	440	300	11.00	18.00	24.00	9	1116.00
	440	300	11.00	18.00	24.00	12	1488.00
450 x 200	450	200	9.00	14.00	18.00	6	456.00
	450	200	9.00	14.00	18.00	9	684.00
	450	200	9.00	14.00	18.00	12	912.00
488 x 300	488	300	11.00	18.00	26.00	6	768.00
	488	300	11.00	18.00	26.00	9	1152.00
	488	300	11.00	18.00	26.00	12	1536.00
500 x 200	500	200	10.00	16.00	20.00	6	537.60
	500	200	10.00	16.00	20.00	9	806.40
	500	200	10.00	16.00	20.00	12	1075.20
588 x 300	588	300	12.00	20.00	28.00	6	906.00
	588	300	12.00	20.00	28.00	9	1359.00
	588	300	12.00	20.00	28.00	12	1812.00
594 x 302	594	302	14.00	23.00	28.00	6	1050.00
	594	302	14.00	23.00	28.00	9	1575.00
	594	302	14.00	23.00	28.00	12	2100.00
600 x 200	600	200	11.00	17.00	22.00	6	636.00
	600	200	11.00	17.00	22.00	9	954.00
	600	200	11.00	17.00	22.00	12	1272.00
700 x 300	700	300	13.00	24.00	28.00	6	1110.00
	700	300	13.00	24.00	28.00	9	1665.00
	700	300	13.00	24.00	28.00	12	2220.00
800 x 300	800	300	14.00	26.00	28.00	6	1260.00
	800	300	14.00	26.00	28.00	9	1890.00
	800	300	14.00	26.00	28.00	12	2520.00
900 x 300	900	300	16.00	28.00	28.00	6	1458.00
	900	300	16.00	28.00	28.00	9	2187.00
	900	300	16.00	28.00	28.00	12	2916.00

I-Sections

Used for general structured and welding work. Has a shape and property similar to I-beam but thinner.

Usually used in general structured and welding work.




Nominal Size (mm.)	Standard sectional dimension (mm.)						Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂	r ₁	r ₂		
150 x 75	150	75	5.50	9.50	9.00	4.50	6	102.60
	150	75	5.50	9.50	9.00	4.50	9	153.90
	150	75	5.50	9.50	9.00	4.50	12	205.20
200 x 100	200	100	7.00	10.00	10.00	5.00	6	156.00
	200	100	7.00	10.00	10.00	5.00	9	234.00
	200	100	7.00	10.00	10.00	5.00	12	312.00
200 x 150	200	150	9.00	16.00	15.00	7.50	6	302.40
	200	150	9.00	16.00	15.00	7.50	9	453.60
	200	150	9.00	16.00	15.00	7.50	12	604.80
250 x 125	250	125	7.50	12.50	12.00	6.00	6	229.80
	250	125	7.50	12.50	12.00	6.00	9	344.70
	250	125	7.50	12.50	12.00	6.00	12	459.60
250 x 125	250	125	10.00	19.00	21.00	10.50	6	333.00
	250	125	10.00	19.00	21.00	10.50	9	499.50
	250	125	10.00	19.00	21.00	10.50	12	666.00
300 x 150	300	150	8.00	13.00	12.00	6.00	6	289.80
	300	150	8.00	13.00	12.00	6.00	9	434.70
	300	150	8.00	13.00	12.00	6.00	12	579.60
300 x 150	300	150	10.00	18.50	19.00	9.50	6	393.00
	300	150	10.00	18.50	19.00	9.50	9	589.50
	300	150	10.00	18.50	19.00	9.50	12	786.00
300 x 150	300	150	11.50	22.00	23.00	11.50	6	460.80
	300	150	11.50	22.00	23.00	11.50	9	691.20
	300	150	11.50	22.00	23.00	11.50	12	921.60
350 x 150	350	150	9.00	15.00	13.00	6.50	6	351.00
	350	150	9.00	15.00	13.00	6.50	9	526.50
	350	150	9.00	15.00	13.00	6.50	12	702.00
350 x 150	350	150	12.00	24.00	25.00	12.50	6	523.20
	350	150	12.00	24.00	25.00	12.50	9	784.80
	350	150	12.00	24.00	25.00	12.50	12	1046.40

Nominal Size (mm.)	Standard sectional dimension (mm.)						Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂	r ₁	r ₂		
400 x 150	400	150	10.00	18.00	17.00	8.50	6	432.00
	400	150	10.00	18.00	17.00	8.50	9	648.00
	400	150	10.00	18.00	17.00	8.50	12	864.00
400 x 150	400	150	12.50	25.00	27.00	13.50	6	574.80
	400	150	12.50	25.00	27.00	13.50	9	862.20
	400	150	12.50	25.00	27.00	13.50	12	1149.60
450 x 175	450	175	11.00	20.00	19.00	9.50	6	550.20
	450	175	11.00	20.00	19.00	9.50	9	825.30
	450	175	11.00	20.00	19.00	9.50	12	1100.40
450 x 175	450	175	13.00	26.00	27.00	13.50	6	690.00
	450	175	13.00	26.00	27.00	13.50	9	1035.00
	450	175	13.00	26.00	27.00	13.50	12	1380.00
600 x 190	600	190	14.00	25.00	25.00	12.50	6	798.00
	600	190	14.00	25.00	25.00	12.50	9	1197.00
	600	190	14.00	25.00	25.00	12.50	12	1596.00
600 x 190	600	190	16.00	35.00	38.00	19.00	6	1056.00
	600	190	16.00	35.00	38.00	19.00	9	1584.00
	600	190	16.00	35.00	38.00	19.00	12	2112.00

L-Sections

Equal Angle A grade quality with a wide range of Equal Angle to choose from, but many will be. In a like manner to the base. Front doors can be used in combination with white or steel shafts. Connected to the shelf. And many more.




Nominal Size (mm.)	Standard sectional dimension (mm.)					Length (m.)	Weight (kg./piece)
	H	B	t ₁	r ₁	r ₂		
25 x 25	25	25	3.00	4.00	2.00	6	6.72
25 x 25	25	25	5.00	3.50	2.40	6	10.62
30 x 30	30	30	3.00	4.00	2.00	6	8.16
30 x 30	30	30	5.00	5.00	2.40	6	13.08
40 x 40	40	40	3.00	4.50	2.00	6	10.98
40 x 40	40	40	4.00	6.00	2.40	6	14.52
40 x 40	40	40	5.00	4.50	3.00	6	17.70
40 x 40	40	40	6.00	6.00	2.40	6	21.12
45 x 45	45	45	4.00	6.50	3.00	6	16.44
45 x 45	45	45	5.00	6.50	3.00	6	20.28
50 x 50	50	50	3.00	7.00	2.40	6	13.98
50 x 50	50	50	4.00	6.50	3.00	6	18.36
50 x 50	50	50	5.00	6.50	3.00	6	22.62
50 x 50	50	50	6.00	6.50	4.50	6	26.58
60 x 60	60	60	4.00	6.50	3.00	6	22.08
60 x 60	60	60	5.00	6.50	3.00	6	27.30
65 x 65	65	65	5.00	8.50	3.00	6	30.00
65 x 65	65	65	6.00	8.50	4.00	6	35.46
65 x 65	65	65	8.00	8.50	6.00	6	45.96
70 x 70	70	70	6.00	8.50	4.00	6	38.28
75 x 75	75	75	6.00	8.50	4.00	6	41.10
75 x 75	75	75	9.00	8.50	6.00	6	59.76
75 x 75	75	75	12.00	8.50	6.00	6	78.00
80 x 80	80	80	6.00	8.50	4.00	6	43.92
80 x 80	80	80	6.00	10.00	5.00	6	49.68
80 x 80	80	80	7.00	10.00	5.00	6	57.54
90 x 90	90	90	10.00	10.00	7.00	6	79.80
90 x 90	90	90	12.00	11.00	4.80	6	95.40
90 x 90	90	90	13.00	10.00	7.00	6	102.00
100 x 100	100	100	7.00	10.00	5.00	6	64.20

Nominal Size (mm.)	Standard sectional dimension (mm.)					Length (m.)	Weight (kg./piece)
	H	B	t ₁	r ₁	r ₂		
100 x 100	100	100	10.00	10.00	7.00	6	89.40
100 x 100	100	100	12.00	12.00	4.80	6	106.80
120 x 120	120	120	8.00	12.00	5.00	6	88.20
	120	120	8.00	12.00	5.00	9	132.30
	120	120	8.00	12.00	5.00	12	176.40
130 x 130	130	130	9.00	12.00	6.00	6	107.40
	130	130	9.00	12.00	6.00	9	161.10
	130	130	9.00	12.00	6.00	12	214.80
130 x 130	130	130	12.00	12.00	8.50	6	140.40
	130	130	12.00	12.00	8.50	9	210.60
	130	130	12.00	12.00	8.50	12	280.80
130 x 130	130	130	15.00	12.00	8.50	6	172.80
	130	130	15.00	12.00	8.50	9	259.20
	130	130	15.00	12.00	8.50	12	345.60
150 x 150	150	150	12.00	14.00	7.00	6	163.80
	150	150	12.00	14.00	7.00	9	245.70
	150	150	12.00	14.00	7.00	12	327.60
150 x 150	150	150	15.00	14.00	10.00	6	201.60
	150	150	15.00	14.00	10.00	9	302.40
	150	150	15.00	14.00	10.00	12	403.20
150 x 150	150	150	19.00	14.00	10.00	6	251.40
	150	150	19.00	14.00	10.00	9	377.10
	150	150	19.00	14.00	10.00	12	502.80
175 x 175	175	175	12.00	15.00	11.00	6	190.80
	175	175	12.00	15.00	11.00	9	286.20
	175	175	12.00	15.00	11.00	12	381.60
175 x 175	175	175	15.00	15.00	11.00	6	236.40
	175	175	15.00	15.00	11.00	9	354.60
	175	175	15.00	15.00	11.00	12	472.80
200 x 200	200	200	15.00	17.00	12.00	6	271.80
	200	200	15.00	17.00	12.00	9	407.70
	200	200	15.00	17.00	12.00	12	543.60
200 x 200	200	200	20.00	17.00	12.00	6	358.20
	200	200	20.00	17.00	12.00	9	537.30
	200	200	20.00	17.00	12.00	12	716.40

Nominal Size (mm.)	Standard sectional dimension (mm.)					Length (m.)	Weight (kg./piece)
	H	B	t ₁	r ₁	r ₂		
200 x 200	200	200	25.00	17.00	12.00	6	441.60
	200	200	25.00	17.00	12.00	9	662.40
	200	200	25.00	17.00	12.00	12	883.20
250 x 250	250	250	35.00	24.00	18.00	6	768.00
	250	250	35.00	24.00	18.00	9	1152.00
	250	250	35.00	24.00	18.00	12	1536.00

U-Sections

U-Channel (for batten and the stairs of the house structure. Factory roof) has a U-shaped cross section (U) using the keypad on the stairs of the house roof plant.




Nominal Size (mm.)	Standard sectional dimension (mm.)				Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂		
50 x 25	50	25	4.00	6.00	6	23.20
75 x 40	75	40	5.00	7.00	6	41.40
100 x 50	100	50	5.00	7.50	6	56.40
125 x 65	125	65	6.00	8.00	6	80.40
150 x 75	150	75	6.50	10.00	6	111.60
150 x 75	150	75	9.00	12.00	6	144.00
180 x 75	180	75	7.00	10.50	6	128.40
	180	75	7.00	10.50	9	192.60
	180	75	7.00	10.50	12	256.80
200 x 80	200	80	7.50	11.00	6	147.60
	200	80	7.50	11.00	9	221.40
	200	80	7.50	11.00	12	295.20
200 x 90	200	90	8.00	13.50	6	181.80
	200	90	8.00	13.50	9	272.70
	200	90	8.00	13.50	12	363.60
250 x 90	250	90	9.00	13.00	6	207.60
	250	90	9.00	13.00	9	311.40
	250	90	9.00	13.00	12	415.20
250 x 90	250	90	11.00	14.50	6	241.20
	250	90	11.00	14.50	9	361.80
	250	90	11.00	14.50	12	482.40
300 x 90	300	90	9.00	13.00	6	228.60
	300	90	9.00	13.00	9	342.90
	300	90	9.00	13.00	12	457.20
300 x 90	300	90	10.00	15.50	6	262.80
	300	90	10.00	15.50	9	394.20
	300	90	10.00	15.50	12	525.60
300 x 90	300	90	12.00	16.00	6	291.60
	300	90	12.00	16.00	9	437.40
	300	90	12.00	16.00	12	583.20

Nominal Size (mm.)	Standard sectional dimension (mm.)				Length (m.)	Weight (kg./piece)
	H	B	t ₁	t ₂		
380 x 100	380	100	10.50	16.00	6	327.00
	380	100	10.50	16.00	9	490.50
	380	100	10.50	16.00	12	654.00
380 x 100	380	100	13.00	20.00	6	403.80
	380	100	13.00	20.00	9	605.70
	380	100	13.00	20.00	12	807.60
380 x 100	380	100	13.00	16.50	6	372.00
	380	100	13.00	16.50	9	558.00
	380	100	13.00	16.50	12	744.00

Sheet Pile

Wavy shape steel, tack down into vertical axis. For protecting the water and soil pressure from the depth of the excavation.



Type	Dimension (mm.)			Per pile				Per 1 m of pile wall width			
	w	h	t	Sectional area (cm ²)	Moment of inertia (cm ⁴)	Section modulus (cm ³)	Unit mass (kg/m)	Sectional area (cm ² /m)	Moment of inertia (cm ⁴ /m)	Section modulus (cm ³ /m)	Unit mass (kg/m ²)
SPU II	400	100	10.5	61.18	1,240	152	48.0	153.0	8,740	874	120
SPU III	400	125	13.0	76.42	2,220	223	60.0	191.0	16,800	1,340	150
SPU IIIA	400	150	13.1	74.40	2,790	250	58.4	186.0	22,800	1,520	146
SPU IV	400	170	15.5	96.99	4,670	362	76.1	242.5	36,600	2,270	190
SPU VL	500	200	24.3	133.8	7,960	520	105	267.6	63,000	3,150	210
SPU VIL	500	225	27.6	153.0	11,400	680	120	306.0	86,000	3,820	240
SPU IIW	600	130	10.3	78.70	2,110	203	64.8	131.2	13,000	1,000	103
SPU IIIW	600	180	13.4	103.9	5,220	376	81.6	173.2	32,400	1,800	136
SPU IWW	600	210	18.0	135.3	8,630	539	106	225.5	56,700	2,700	177

Square Bars

Square Bar A relatively straight-grade steel and durable texture.
Suitable for a job. Wrought iron window Theft or other iron as needed.




Nominal Sectional Diameter		Weight (kg./m.)	Weight (kg./m ² .)
mm.	in.		
4.5 x 4.5	3/16 x 3/16	0.17	1.07
6 x 6	1/4 x 1/4	0.31	1.09
8 x 8	5/16 x 5/16	0.49	2.96
9 x 9	3/8 x 3/8	0.71	4.27
12 x 12	1/2 x 1/2	1.26	7.59
15 x 15	5/8 x 5/8	1.97	11.86
19 x 19	3/4 x 3/4	2.84	17.08
22 x 22	7/8 x 7/8	3.87	23.24
25 x 25	1 x 1	5.06	30.36
32 x 32	1 1/4 x 1 1/4	7.90	47.44
38 x 38	1 1/2 x 1 1/2	11.38	68.28
45 x 45	1 3/4 x 1 3/4	15.49	92.94
50 x 50	2 x 2	20.24	121.44
56 x 56	2 1/4 x 2 1/4	25.62	153.72
65 x 65	2 1/2 x 2 1/2	31.62	189.72
75 x 75	3 x 3	45.54	273.24
90 x 90	3 1/2 x 3 1/2	61.98	371.88
100 x 100	4 x 4	80.96	485.76
112 x 112	4 1/2 x 4 1/2	102.50	615.00
125 x 125	5 x 5	126.50	759.00

Reinforced Deformed Bars

Deformed Bar (reinforced concrete for the construction of the structure) is a circular line with stripes. Suitable for use.

Construction of the reinforced concrete structure, such as towers, condominium, concrete road, bridges, dams, airports, etc.




Size Designation	Nominal Diameter (mm.)	Length (m.)	Nominal Mass (kg./piece)	Nominal Cross-Section Area (mm ²)
DB 10 (SD40)	10	1.00	0.61	78.54
	10	10.00	6.16	78.54
	10	12.00	7.39	78.54
DB 12 (SD30)	12	1.00	0.88	113.10
	12	10.00	8.88	113.10
	12	12.00	10.66	113.10
DB 12 (SD40)	12	1.00	0.88	113.10
	12	10.00	8.88	113.10
	12	12.00	10.66	113.10
DB 12 (SD50)	12	1.00	0.88	113.10
	12	10.00	8.88	113.10
	12	12.00	10.66	113.10
DB 16 (SD30)	16	1.00	1.57	201.06
	16	10.00	15.78	201.06
	16	12.00	18.94	201.06
DB 16 (SD40)	16	1.00	1.57	201.06
	16	10.00	15.78	201.06
	16	12.00	18.94	201.06
DB 16 (SD50)	16	1.00	1.57	201.06
	16	12.00	18.94	201.06
DB 20 (SD30)	20	10.00	24.66	314.16
	20	12.00	29.59	314.16
DB 20 (SD40)	20	1.00	2.47	314.16
	20	10.00	24.66	314.16
	20	12.00	29.59	314.16
DB 20 (SD50)	20	1.00	2.46	314.16
	20	10.00	24.66	314.16
	20	12.00	29.59	314.16
DB 25 (SD30)	25	1.00	3.85	490.87
	25	10.00	38.53	490.87
	25	12.00	46.24	490.87

Size Designation	Nominal Diameter (mm.)	Length (m.)	Nominal Mass (kg./piece)	Nominal Cross-Section Area (mm ² .)
DB 25 (SD40)	25	1.00	3.85	490.87
	25	10.00	38.53	490.87
	25	12.00	46.24	490.87
DB 25 (SD50)	25	1.00	3.85	490.87
	25	10.00	38.53	490.87
	25	12.00	46.24	490.87
DB 28 (SD30)	28	1.00	4.83	615.75
	28	10.00	48.34	615.75
	28	12.00	58.01	615.75
DB 28 (SD40)	28	1.00	4.83	615.75
	28	10.00	48.34	615.75
	28	12.00	58.01	615.75
DB 28 (SD50)	28	1.00	4.83	615.75
	28	10.00	48.34	615.75
	28	12.00	58.01	615.75
DB 32 (SD30)	32	1.00	6.31	804.25
	32	10.00	63.13	804.25
	32	12.00	75.76	804.25
DB 32 (SD40)	32	1.00	6.31	804.25
	32	10.00	63.13	804.25
	32	12.00	75.76	804.25
DB 32 (SD50)	32	1.00	6.31	804.25
	32	10.00	63.13	804.25
	32	12.00	75.76	804.25

Reinforced Round Bars

Round Bar (for general use. Reinforced concrete construction) is a smooth, rounded lines for general use. Reinforced concrete construction such as residential homes, commercial buildings, office topic. Bridge Street, basically making furniture, fences, etc.



Size Designation	Nominal Diameter (mm.)	Nominal Mass (kg./m.)	Nominal Mass (kg./10m.)	Nominal Cross-Section Area (mm ² .)
RB 12	12	0.88	8.88	113.10
RB 15	15	1.38	13.87	176.70
RB 19	19	2.22	22.26	283.50
RB 25	25	3.85	38.53	490.90
RB 28	28	4.83	48.34	615.80
RB 6	6	0.22	2.22	28.30
RB 9	9	0.49	4.99	63.60